


EAC 43 June 1968

RECORD

7530-222-3525
FEDERAL SUPPLY SERVICE
(GPO)





| Field # | Species | Date | Locality | wt. | Sex | fat | Reproduction | soft part colors - remarks | Prep. by | Disposition |
|---------|------------------------------------|--------------|-----------------------------------------------------------------|------|-----------|---------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------|-------------|
| 140498 | Oceanodroma leucorhoa socorroensis | 20 June 1968 | ^{Meliponera Can} Isla Guadalupe, Mexico | 30.5 | ♂ Ad. | med. | no molt contour feathers Testes 4x2 1/2, no brood patch L. Testis 6x4 No molt contour feathers. | Iris dark brown, bill + feet black | LNH | skin - DC |
| 140499 | " | " | " | 32.7 | ♂ Ad. | med. | R. Testis 2 1/2 x 2 1/2 brood patch defeathering no molt contour feathers | " | LNH | " |
| 140500 | " | " | " | 31.0 | ♂ Ad. | med. | Testes 3x2mm. No brood patch | blood sample | LNH | " |
| 140501 | Larus occidentalis nymanii | 21 June 1968 | ^{1/4 mi NE} Isla Guadalupe, Baja California, Mexico | 36.7 | ♀ Nesting | light | ovary 10x6, smooth, sex body molt NO BODY MOLT | Iris dark, feet grey, bill black, tip tinged | RSC | " |
| 140502 | Oceanodroma leucorhoa socorroensis | 21 June 1968 | ISLOT Zapato, Isla Guadalupe, Baja California, Mexico | 34.0 | ♂ Ad. | MED | TESTES 6x8mm BROOD PATCH BARE NO BODY MOLT | Color: IRIS DARK BROWN - BILL, FEET & LEGS BLACK | RLD | " |
| 140503 | " | " | " | 36.5 | ♂ Ad. | MED | TESTES 4x3mm BROOD PATCH BARE NO BODY MOLT | ONE OF PAIR SET 1 COLOR AS 140502 | RLD | " |
| 140504 | " | " | " | 28.5 | ♀ Ad. | Light | OVARY 7x5mm NO BODY MOLT OVIDUCT ENLARGED & CONVOLUTED | ONE OF PAIR SET 2 - ONE OF PAIR WHICH ♀ LAID EGG IN CRASSI FEMOR - TIGES DROUND CLAW OF ♀. | TJL | " |
| 140505 | " | " | " | 29.5 | ♂ Ad. | Heavy | Testes 6x5mm BROOD PATCH BARE NO BODY MOLT | COLOR AS 140502 | TJL | " |
| 140506 | " | " | " | 39.0 | ♂ Ad. | Heavy | TESTES 6x5mm BROOD PATCH BARE NO BODY MOLT | ADULT W/ FRESH EGG. | RSC | " |
| 140507 | " | " | " | 38.5 | ♀ Ad. | Light | OVARY 7x2mm NO BODY MOLT OVIDUCT ENLARGED | ADULT W/ FRESH EGG. | RLD | " |
| 140508 | Endomychura hypoleuca | " | " | 23.5 | ♂ N | very light | testes minute | COLOR AS 140509 PAIRED WITH 140509 | LNH | " |
| 140509 | " | " | " | 24.0 | ♀ N | very light | ovary there OVARY THERE | COLOR AS 140508 | LNH | " |
| 140510 | " | " | " | 17.5 | ♀ N | Very Light | ovary there | COLOR AS 140508 | LNH | " |
| 140511 | " | " | " | 18.5 | ♂ N | Very Light | testes minute | COLOR AS 140508 | LNH | " |
| 140512 | Oceanodroma leucorhoa | 21 June 1968 | ISLOT ZAPATO, ISLA GUADALUPE, Baja California, Mexico | 36.5 | ♀ Ad. | MED-Heavy Fat | OVARY 7x7mm NO BODY MOLT OVA COMMING UP OVIDUCT USED IN PAST | COLOR-IRIS DARK BROWN - BILL, FEET & LEGS BLACK | LNH | " |
| 140513 | " | " | " | 34.5 | ♂ Ad. | Heavy | BOTH NO MOLT TESTES 5x4mm BROOD PATCH BARE | COLOR AS 140512 ON EGG | LNH | " |
| 140514 | " | " | " | 33.0 | ♂ Ad. | Heavy | NO BODY MOLT TESTES 4x4mm BROOD PATCH BARE | COLOR AS 140512 ON EGG | LNH | " |
| 140515 | " | " | " | 30.5 | ♂ Ad. | MED. | NO MOLT of contour feathers TESTES 5x3.5mm BROOD PATCH BARE | COLOR AS 140512 ON EGG | LNH | " |
| 140516 | " | " | " | 34.0 | ♂ Ad. | Heavy | NO MOLT TESTES 4x4mm BROOD PATCH DEFATHERING | COLOR AS 140512 ON EGG | LNH | " |
| 140517 | " | " | " | 36.0 | ♀ Ad. | Heavy | OVARY - 7 SEVERAL NO MOLT ENLARGED OVA OVIDUCT RECENTLY USED 3x3mm - USED | COLOR AS 140512 ON EGG | LNH | " |
| 140518 | " | " | " | 34.0 | ♂ Ad. | MED | BOTH NO MOLT TESTES 3x4mm BROOD PATCH BARE | COLOR AS 140512 ON EGG | LNH | " |
| 140519 | " | " | " | 35.0 | ♂ Ad. | MED-Heavy | NO MOLT TESTES 5x5mm BROOD PATCH BARE | COLOR AS 140512 ON EGG | LNH | " |
| 140520 | " | " | " | 32.5 | ♂ Ad. | Light | LT 5.5x5mm NO MOLT RT 4x3mm BROOD PATCH BARE. | COLOR AS 140512 ON EGG | LNH | " |
| 140521 | " | " | " | 35.0 | ♀ Ad. | MED | OVARY 7x5mm NO BODY MOLT GRANULAR OVIDUCT RECENTLY USED | COLOR AS 140512 ON EGG | LNH | " |
| 140522 | " | " | " | 37.0 | ♂ Ad. | Heavy | NO BODY MOLT TESTES 6x5mm BROOD PATCH BARE | COLOR AS 140512 | TJL | " |
| 140523 | " | " | " | 28.5 | ♀ Ad. | Light | OVARY 9x6mm NO BODY MOLT OVA - 3mm (2) OVIDUCT ENLARGING | COLOR AS 140512 | RSC | " |
| 140524 | " | " | " | 30.0 | ♂ Ad. | Light | NO BODY MOLT TESTIS 6x5mm BROOD PATCH STARTING TO DEFATHER | COLOR AS 140512 | RSC | " |
| 140525 | " | " | " | 36.5 | ♂ Ad. | Heavy | NO BODY MOLT TESTES 8x5mm BROOD PATCH BARE | COLOR AS 140512 | TJL | " |

| Field # | Species | Date | Locality | wt(g) | Sex | CAT | Reproduction | Soft part colors-remarks | Personal Catalogue # | Disposition |
|---------|---------------------------------------|--------------|-------------------------------------------------------------------------|---------|------------|-----------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------|-------------|
| 140526 | <i>Puffinus puffinus opisthomelas</i> | 21 June 1968 | ISLOTE ZAPATO, ISLA GUADALUPE BAJA CALIFORNIA, MEXICO | 226 | ♀ Ad | Heavy | ovary large | heavy body Molt | LNH | SKIN - D.C. |
| 140527 | " | " | " | 427 | ♀ Ad | Med-heavy | ovary 12x7mm granular oviduct recent regressed follicle oviduct enlarged within last month | heavy molt of contour feathers brood patch refeathering | LNH | SKIN |
| 140528 | " | " | " | 444 | ♀ Ad | med-heavy | same as #14027 | heavy molt of contour feathers brood patch refeathering | LNH | SKIN |
| 140529 | " | " | " | 422 | ♂ | med-heavy | testes 6x4mm | heavy molt of contour feathers brood patch refeathering | LNH | SKIN |
| 140530 | " | " | " | 390 | ♀ Ad | med-heavy | same as #14027 | same as #14027 | LNH | SKIN |
| 140531 | " | " | " | 417 | ♂ | med-heavy | testes 5x4mm | heavy molt of contour feathers brood patch refeathering | LNH | SKIN |
| 140532 | " | " | " | 417 | ♂ | Mod | Testis 7x5mm DK Moderate Body Molt | ON EGG | TJL | SKIN |
| 140533 | " | " | " | 448 | ♂ | Light | BP Bare TESTIS 5x3mm molting - light band molt Brood Patch REFEATHERED | | RLD | SKIN |
| 140534 | <i>Pychoramphus aleuticus</i> | 22 " | ISLOTE Negro, Isla Guadalupe | 23.5gms | ♀ Nestling | No Fat | ovary 5x2mm | Bill black, Legs & feet dark blue-gray | LNH | SKIN |
| 140535 | <i>Oceanodroma leucorhoa</i> | " | Baja California Mexico Isote Zapato, Isla Guadalupe | 33.5gms | Ad ♂ | Mod | BP Defeathering | Heavy Molt | TJL | SKIN |
| 140536 | " | " | " | 35.0gms | Ad ♂ | Mod | Testis 6x4mm BP Defeathering | Bill, Legs & feet Black | TJL | SKIN |
| 140537 | " | " | " | 35.5gms | Ad ♂ | Mod | Testis 6x4mm BP Defeathering | No Body Molt | TJL | SKIN |
| 140538 | " | " | " | 34.5gms | Ad ♀ | Mod | Testis 5x4mm BP Defeathering | Bill, Legs & feet Black | TJL | SKIN |
| 140539 | " | " | " | 33.9gms | Ad ♂ | Mod | Testis 6x5mm BP Defeathering | No Body Molt, No Flight Feathers with whitening | TJL | SKIN |
| 140540 | " | " | " | 31.0gms | Ad ♀ | Mod | ovary 7x5mm, ova to 2mm oviduct enlarged & convoluted | on egg | TJL | SKIN |
| 140541 | " | " | " | 29.5gms | Ad ♂ | Heavy | BP Bare | with 140539 in burrow - No egg present | TJL | SKIN |
| 140542 | <i>Oceanodroma melanica</i> | 25 June 1968 | ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA, MEXICO | 54.0 | ♂ | M-Heavy | Testes both 3x1mm BP feathered | No Molt, flew aboard ship | TJL | SKIN |
| 140543 | <i>Halcyptena microsoma</i> | " | " | 18.8 | Ad ♀ | H | BP Bare, but not in use ovary 7x6mm, L. ova 2mm. | IRIS DARK BROWN - bill, legs, & feet black | LNH | SKIN |
| 140544 | " | " | " | 19.7 | Ad ♀ | H | BP Bare but not in use ovary 8x7mm, L. ova 2.8mm. | no molt | LNH | SKIN |
| 140545 | " | " | " | 17.9 | Ad ♀ | H | oviduct enlarged Brood Patch completely feathered | no molt | LNH | SKIN |
| 140546 | " | " | " | 19.8 | Ad ♂ | heavy | oviduct used at post but not enlarged ovary 6x4mm granular | no molt | LNH | SKIN |
| 140547 | " | " | " | 19.8 | Ad ♀ | H | BP Bare LT 5x3mm (ovary) RT 3x2mm | no molt | LNH | SKIN |
| 140548 | " | " | " | 20.2 | Ad ♀ | H | BP Bare ovary 7x6mm granular | no molt | LNH | SKIN |
| 140549 | <i>Oceanodroma melanica</i> | " | " | 52.0 | Ad ♀ | M | BP Bare ovary 7x4.5mm, L. ova 2mm | BP completely feathered | LNH | SKIN |
| 140550 | " | " | " | 60.5 | Ad ♀ | M-Heavy | oviduct slightly enlarged Brood Patch Bare & vascularized | no molt | TJL | SKIN |
| 140551 | " | " | " | 55.0 | ♀ | M-Heavy | ovary 10x7mm ova to 2mm oviduct enlarged & convoluted (recent follicle in ovary) | This bird backs to breeding Islands for first time with probably Nut lay this year | TJL | SKIN |
| 140552 | " | " | " | 64.0 | ♀ Ad | M | ovary 9x7mm, L. ova 2.8mm | Brood Patch bare but not in use | LNH | SKIN |
| 140553 | " | " | " | 63.5 | Ad ♂ | M | oviduct enlarged testes 5x4mm | Brood Patch 1/5 defeathered | LNH | SKIN |

| Field # | Species | Date | Locality | Wt(g) | fat | sex | Reproduction | Soft part colors - remarks | Prep. by | Disposition |
|---------|------------------------------------------------------|--------------|------------------------------------------------------------------|-------|-------|-------|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------|-------------|
| 140554 | Oceanodroma MELANIA | 25 JUNE 1968 | ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA MEXICO | 55.9 | M | Ad ♂ | LT 6x5mm (cream) RT 4x3mm | Brood Patch Bare but not in use, no molt | LNH | Skeleton |
| 140555 | Endomychura hypoleuca | " | " | 161.5 | H | ♂ | LT 8x3.5mm RT 4x2mm (cream) | IRIS DARK BROWN - w/ thin outer ring of blue DORSAL SIDE OF LEGS FEET POWER BLUE, VENTRAL LEGS FEET BLACK | LNH | Skin |
| 140556 | Oceanodroma Microsoma | " | " | 18.3 | H | ♂ Ad | LT 5x3mm RT 3x2mm Brood Patch 1/2 Defeathered LT 6x4mm RT 4x3mm | no molt iris dark brown bill feet + legs black | LNH | Skeleton |
| 140557 | " | " | ISLAS SAN BENITO Benito del Centro | 21.6 | H | Ad ♂ | Brood Patch 3/4 Defeathered Ovary 8x6mm, L. ovum 2mm. Oviduct enlarged. | " | LNH | Skeleton |
| 140558 | " | " | ISLAS SAN BENITO Benito del Oeste | 21.0 | H | Ad ♀ | Ovary 8x6mm, L. ovum 2mm. Oviduct enlarged. | " | LNH | Skeleton |
| 140559 | " | " | ISLAS SAN BENITO Benito del Oeste | 20.0 | H | Ad ♀ | Ovary 8x6mm, L. ovum 2mm. Oviduct enlarged. | " | LNH | Skeleton |
| 140560 | Oceanodroma | " | ISLAS SAN BENITO Benito del Oeste | 33.5 | M | Ad ♂ | Testes 5x4mm Brood Patch Defeathering | SLIGHTLY WHITE RUMP. Bill Legs & Feet Black | TJL | Skin |
| 140561 | Endomychura hypoleuca | " | ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA MEXICO | 143.5 | H | ♂ | LT 7x4mm (cream) RT 4.5x2mm | COLOR AS 140555 BP. completely feathered | LNH | Skin |
| 140562 | Passerculus sandwichensis Ptychoramphus aleuticus | " | ISLAS SAN BENITO Benito del Centro | 19.5 | Med | Imm ♂ | Testes 1x.5mm | Small Not ossified light Body Molt | LNH | Skin |
| 140563 | Ptychoramphus aleuticus | " | ABOARD SHIP ANCHORED AT ISLAS SAN BENITO, BAJA CALIFORNIA MEXICO | 123.5 | H | ♂ | Testes 5x.8mm. BP. completely feathered Ovary 7.5x5mm, OVA enlarging Oviduct enlarged. | Bill black with flesh spot at base of lower mandible Dorsal side of feet 5/6 blue-gray, ventral black | LNH | Skeleton |
| 140564 | Halocyptena microsoma | " | " | 20.5 | Med. | Ad ♀ | Brood Patch 3/4 Defeathering Testes 4x1mm | white feathers in frons & wing coverts no molt. | LNH | Skin |
| 140565 | Ptychoramphus aleuticus | " | " | 120.0 | H | ♂ | BP completely feathered BP feathered Ovary 7x5mm Oviduct enlarged - slightly | AS 140563 no molt Iris dark brown, bill + feet + legs black. | LNH | Skeleton |
| 566 | Oceanodroma leucorhoa | 26 June | West Island SAN BENITO, Baja Calif. | 35.5 | M | Ad ♀ | Ovary 7x5mm Oviduct enlarged - slightly | No Body Molt white feathers in frons | TJL | Skin |
| 567 | " | " | " | 36 | M | Ad ♂ | Brood Patch 3/4 Defeathered Not Vascularized Ovary 10x5mm OVA to 4mm Oviduct enlarged | No Body Molt Brood Patch 4/5 defeathered | TJL | Skin |
| 568 | " | " | " | 35.5 | M | ♂ Ad | Testes 5x4mm | no molt | LNH | Skin |
| 569 | " | " | " | 35 | M | ♂ Ad | LT 6x5mm RT 4x3mm | BP. Bare but not in use no molt | LNH | Skin |
| 570 | " | " | " | 31.5 | M | ♂ Ad | LT - 3x2.5mm RT 2x1.5mm Ovary 8x4mm L. ovum 3mm | BP. 1/2 Defeathered no molt | LNH | Skin |
| 571 | " | " | " | 37 | M | ♀ Ad | Oviduct enlarging LT - 6x4.5mm | BP. 9/10 Defeathered no molt | LNH | Skin |
| 572 | " | " | " | 32.5 | M | ♂ Ad | R - 6x4mm LT 3x3mm | Brood Patch Bare but not in use no molt | LNH | Skin |
| 573 | " | " | " | 33 | L-M | ♂ | RT 2x2mm | Brood Patch 1/2 defeathered no molt | LNH | Skin |
| 574 | " | " | " | 34.5 | M-H | Ad ♂ | Testes 6x4mm BP Bare Not Vascularized | No Body Molt | TJL | Skin |
| 575 | " | " | " | 35 | M | Ad ♂ | Testes 5x4mm BP Defeathering | No Body Molt white feathers forward of right eye | TJL | Skin |
| 576 | Oceanodroma MELANIA | " | " | 58 | Heavy | Ad ♀ | Brood Patch Bare vascularized Ovary 7x7mm, large ovum 3mm Oviduct enlarged & vascularized | No body Molt | TJL | Skin |
| 577 | " | " | " | 64 | Heavy | Ad ♂ | Brood Patch Bare Not vascularized yet L. Testis 9x6mm R. " 6x4mm | No Body Molt | TJL | Skin |
| 578 | " | " | " | 58 | Heavy | Ad ♂ | Brood Patch Bare vascularized L. Testis 8x6mm R. " 4x3mm | No Body Molt | TJL | Skin |
| 579 | Larus occidentalis | 27 June 1968 | North East side of ISLA Cedros (West) BAJA CALIFORNIA, Mexico | 460 | Heavy | ♂ | Testes 5x2mm (white) | COLLECTED FROM COVE WITH TWO OTHER CHICKS OF THE SAME SIZE heavy molt | LNH | Skin |
| 580 | Oceanodroma melanin | " | Mexico; SAN BENITO Islands Center Island | 55.5 | med | Ad ♂ | LT 10x7mm Brood P. Bare slightly vascularized RT 7x6.5mm Brood Patch Bare slightly vascularized | mate to # 140581 white feathers on back of neck | LNH | Skin |
| 81 | " | " | " | 57 | Heavy | Ad ♀ | LT 7x6mm L. ovum 5mm R. " 4x3mm 8-10 old ruptured follicles | mate to 140580 white feathers on back of neck | LNH | Skin |

| | | | | | | Fat | Reproduction | Remarks | Prep | Disposition |
|--------|-------------------------------|---------------|-----------------------------------------------------------------------------|---------|------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|------|-------------|
| 140582 | <i>Larus occidentalis</i> | 27 June, 1968 | MEXICO: SAN BENITO ISLANDS | 199 | ♂ | L-M | Testes 5x2mm (CREAM) | heavy molted down | LNH | SKIN |
| 83 | <i>Oceanodroma melanota</i> | " | " | 53 | ♀ Ad | med | LT 10.5x6.5mm RT 7.5x6mm BP slightly vasculated | No molt. | LNH | SKIN |
| 84 | " | " | " | 54 | ♀ Ad | med | L.O. 4.5mm, oviduct enlarged 3 ED adruptured follicles Brood patch Bare & vasculated | B.P. slightly vasculated no molt | LNH | SKIN |
| 85 | " | " | " | 58 | Ad ♂ | Med-Heavy | Testes 8x6mm Brood Patch Bare, Not Vasculated | No Body Molt | TJL | SKIN |
| 86 | " | " | " | 58 | Ad ♂ | M-H | L.T. 8x7mm R.T. 6x4mm LT 7x6mm RT 5x4mm BP. bare but not in use | No Body Molt | TJL | SKIN |
| 87 | " | " | " | 57 | Ad ♂ | med | Ovary 8x5mm L.O. 2mm oviduct enlarged (5 ED adruptured follicles) | BP. 3/4 defeathered no molt | LNH | SKIN |
| 88 | <i>Halocryptena microsoma</i> | " | " | 21.2 | ♀ Ad | H | ovary 8x6mm L.O. 11x11mm oviduct very enlarged | (5 ED adruptured follicles) BP. Bare but not in use no molt | LNH | SKIN |
| 89 | " | " | " | 21.5 | ♀ Ad | med | ovary 9.5x6mm L.O. 3.5mm oviduct enlarged | BP. 7/8 defeathered no molt | LNH | SKIN |
| 90 | " | " | " | 20 | ♀ Ad | M | ovary 9.5x6mm L.O. 3mm oviduct enlarged | no molt | LNH | SKIN |
| 91 | " | " | " | 20.5 | ♀ Ad | H | BP. 3/4 defeathered LT 5x4mm (CREAM) RT 4x3mm | BP. 3/4 defeathered no molt | LNH | SKIN |
| 92 | " | " | " | 21.6gms | Ad ♂ | M | LT 6x4mm RT 4x3mm (CREAM) | BP. beginning to become vasculated no molt | LNH | SKIN |
| 93 | " | " | " | 21gms | Ad ♂ | M | Brood Patch Bare Not used Testes 5x3mm Brood Patch Bare vasculated | No Body Molt | TJL | SKIN |
| 94 | " | " | " | 20.7gms | Ad ♂ | M | | No Body Molt | TJL | SKIN |
| 95 | " | " | " | 18.2gms | Ad ♂ | M | | | TJL | SKIN |
| 96 | " | " | " | 20gms. | ♀ Ad | M-H | Ovary 9x5mm L.O. 2.5mm oviduct enlarged (4 ED adruptured follicles) Brood Patch Bare Not Vasculated | BP becoming vasculated no molt | LNH | SKIN |
| 97 | " | " | " | 20.2gms | Ad ♂ | M | LT 5x4mm RT 4x3mm Ovary 9x3mm smooth | No Body Molt | TJL | SKIN |
| 98 | <i>Ptychoramphus albertus</i> | 27 June | Flow aboard ship - ANCHORED AT ISLAS SAN BENITO BAJA CALIFORNIA, MEXICO | 100.5 | ♀ | M | | No Body Molt DOWN PRESENT ON NECK | TJL | SKIN |
| 99 | " | " | " | 120.0 | ♂ | M | Testis R 3x1/2mm | No Body Molt DOWN PRESENT ON NECK | TJL | SKIN |
| 140600 | <i>Oceanodroma leucorhoa</i> | 28 June | Flow aboard ship with East Anchorage Isla Guadalupe, Baja California Mexico | 26.0gms | Ad ♂ | M | Brood Patch Bare Not in use LT 5x4mm RT 4x3mm Ovary 5x2.5mm, ova all size up to 2mm, oviduct appears to be straight thin (thoracic also appears to be one old ruptured follicle - ?) BP. completely feathered, light general molt of contour feathers | B.P. completely feathered very light molt on crown only | LNH | SKIN |
| 01 | " | " | " | 31.5gms | ♀ | L | LT 4.5x3mm RT 3.5x2mm Brood Patch Vasculated | No Molt Brood Patch completely feathered | LNH | SKIN |
| 02 | " | " | " | 33gms. | ♂ | M | LT 4x3mm RT 3.5x2mm oviduct slightly enlarged ovary 3x3mm No old ruptured follicles | No Molt No Molt | LNH | SKIN |
| 03 | " | " | " | 29.5gms | ♂ | H | largest ovum 2.2mm Brood Patch bare & vasculated oviduct enlarged but reducing recent ruptured follicle, ovary 6x4mm | largest ovum 2.1mm 3 old ruptured follicles present No Molt | LNH | SKIN |
| 04 | " | " | " | 28.4gms | ♀ | L | Brood Patch feathered ovary 5x3mm largest ova 2.5mm oviduct Not Enlarged - but has been used | No Body Molt | TJL | SKIN |
| 05 | " | " | " | 32.8gms | Ad ♂ | H | Brood Patch Bare & vasculated ovary 6x5mm ova 2mm one follicle present oviduct enlarged | No Body Molt | TJL | SKIN |
| 06 | " | " | " | 29.7gms | Ad ♀ | M | Brood Patch feathering Testes 4x3mm LT 4x2.5mm RT 2x2mm | No Body Molt BP. completely feathered no molt | LNH | SKIN |
| 07 | " | " | " | 26.0gms | Ad ♀ | L-M | Ovary 6x3mm (thin + transparent) oviduct mostly straight, but starting to enlarge & spiral slightly | Brood P. completely feathered light molt on head + neck only | LNH | SKIN |
| 08 | " | " | " | 31gms | ♂ | M | | | | |
| 09 | " | " | " | 31gms. | ♂ | M | | | | |
| 10 | " | " | " | 29gms. | ♀ | L-M | | | | |

| | | leucorhoa | | NORTH | SEX | WT | TA | Reproduction | Remarks. | Prep | Disposition |
|--------|------------|----------------------|---------------|---------------------------------------------------------------|------|---------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------|-------------|
| 140610 | Oceanodrom | leucorhoa | 28 June, 1968 | flew aboard ship at East anchorage Guadalupe Island Mexico | ♀ Ad | 30 | M | ovary 6x5mm, L-ovum 2.2mm. No recent ruptured follicles oviduct slightly enlarged. Brood Patch 1/4 de feathered | (4) old ruptured follicles no molt. 3/10 Defeathered + slightly vasculated B.P. | LNH | Skin |
| 140612 | " | " | " | " | Ad ♂ | 29.8gms | M | Testes 3x2mm beginning to enlarge Brood Patch Feathered Ovary 4x6mm, largest ova 2mm oviduct thin & flat but has been used in past | No Body Molt | TJL | Skin |
| 13 | " | " | " | " | Ad ♀ | 31.4gms | M-H | ovary 3.5x2mm, ova minute several ova starting to enlarge slightly oviduct straight & thin. oviduct very slightly enlarged ovary 5x4mm L-ovum 1.5mm 1 old ruptured follicle | light molt on Breast | TJL | Skin |
| 14 | " | " | " | " | ♀ | 30 | M | ovary 3.5x2mm, ova minute several ova starting to enlarge slightly oviduct straight & thin. oviduct very slightly enlarged ovary 5x4mm L-ovum 1.5mm 1 old ruptured follicle | no molt B.P. completely feathered | LNH | Skin |
| 15 | " | " | " | " | ♀ | 34.0gms | H | ovary 8x5mm, L-ovum 3mm. oviduct slightly enlarged. | Brood Patch 3/4 de feathered No Molt | LNH | Skin |
| 16 | " | " | " | " | ♀ Ad | 29 | L | ovary 8x5mm, L-ovum 3mm. oviduct slightly enlarged. | B.P. Bare but not in use, no molt many old ruptured follicles | LNH | Skin |
| 17 | " | " | " | " | ♂ | 24gms | L | testes 3x2mm | B.P. Bare + slightly vasculated no molt | LNH | Skin |
| 18 | " | " | " | " | Ad ♂ | 31gms | L | oviduct slightly enlarged 6+ old ruptured follicles ovary 7x5mm, L-ovum 2.1mm. Brood Patch Feathered | B.P. Bare + slightly vasculated Moderate Molt on Head & Neck light molt on Breast | LNH | Skin |
| 19 | " | " | " | " | ♂ | 31gms | M | Testes 3x1mm LT 2x1.2mm | mod general molt of contour feathers B.P. completely feathered | TJL | Skin |
| 20 | " | " | " | " | ♂ | 32 | M | RT 1.2x.9mm LT 6x5mm | B.P. starting to vasculate | LNH | Skin |
| 21 | " | " | " | " | Ad ♂ | 35.5 | M. | RT 4.5x3mm | no molt. | LNH | Skin |
| 22 | " | " | " | " | Ad ♀ | 28.2 | MOD-HEAVY | OVARY 5x4mm, LARGEST OVA 1.8mm; OVIDUCT SLIGHTLY ENLARGED - USED BEFORE; 37% OLD RUPTURED FOLLICLES | RP COMPLETELY FEATHERED - LIGHT MOLT OF CONTOUR FEATHERS - NO MOLT ELSEWHERE | LNH | Skin |
| 23 | " | " | " | " | ♂ | 31.7gms | M | Brood Patch Feathered L Testis 2x1mm | light Body Molt | TJL | Skin |
| 24 | " | " | " | " | Ad ♀ | 37gms | H | ovary 7x7mm L-ovum 1.9mm 3(4) old ruptured follicles oviduct slightly enlarged | B.P. Bare + slightly vasculated no molt | LNH | Skin |
| 25 | " | " | " | " | Ad ♀ | 29.3gms | L | ovary 5x5mm granular L-ovum 1.2mm, oviduct spindled + slightly enlarged | Brood Patch completely feathered no molt | LNH | Skin |
| 26 | " | " | " | " | ♀ | 33.5gms | M | Brood Patch Feathered ovary 3x2mm smooth | light General Contour Feather Molt | TJL | Skin |
| 27 | " | " | " | " | ♂ | 30.5 | L | LT 2.5x1.5mm RT 1.2x1.2mm | Brood Patch completely feathered no molt | LNH | Skin |
| 28 | " | " | " | " | ♂ | 29.5gms | M | LT 2x1mm RT 1x1mm. | B.P. completely feathered light general molt of contour feathers | LNH | Skin |
| 29 | " | " | " | " | Ad ♀ | 37gms | M | Brood Patch Bare ovary 8x6mm ova to 3mm oviduct enlarged L. TESTIS 3x1mm | No Body Molt B.P. FEATHERED - NO BODY MOLT | TJL | Skin |
| 30 | " | " | " | " | ♂ | 28.0gms | HIGH-NOV. | | | TJL | Skin |
| 31 | " | " | " | " | Ad ♀ | 32.4gms | M | Brood Patch Bare Not vasculated ovary 7x6mm ova to 2.5mm oviduct slightly enlarged | No Body Molt | TJL | Skin |
| 32 | " | " | " | " | Ad ♀ | 32.6gms | M | Brood Patch Bare & Vasculated ovary 7x5mm ova to 2mm oviduct reducing | No Body Molt | TJL | Skin |
| 33 | " | " | " | " | ♀ | 33.0gms | M-H | Brood Patch de feathering ovary 7x4mm smooth oviduct slightly enlarged - 2 nuclei | ovary has never been used in past 1/2 Defeathered B.P. | TJL | Skin |
| 34 | " | " | " | " | ♂ | 30gms | M | LT 4x2.5mm RT 2.5x2mm | no molt | LNH | Skin |
| 35 | " | " | " | " | Ad ♀ | 32gms | M | ovary 6x3mm, L-ovum 1.2mm. oviduct slightly enlarged several old ruptured follicles OVARY 6x5mm, LARGEST OVA 2mm OVIDUCT + OVARY REDUCING - ONE FOLLICLE PRESENT - (PROBABLY FEEDING A CHICK) | B.P. 1/2 Defeathered no molt B.P. BARE - NO BODY MOLT | LNH | Skin |
| 36 | " | " | " | " | Ad ♀ | 27.6gms | Med. | OVARY 10x7mm - LARGEST OVA 4mm - OVIDUCT ENLARGED - HAS NOT LAID AN EGG YET THIS YR. | B.P. BARE + VASCULATED | TJL | Skin |
| 37 | " | " | " | " | Ad ♀ | 34.2gms | H. | Brood Patch de feathering ovary 7x5mm ova to 2.5mm oviduct enlarged | No Body Molt | TJL | Skin |
| 38 | " | " | " | " | Ad ♀ | 35gms | M | ovary 8x6mm, oviduct greatly enlarged very recent ruptured follicle | Brood Patch Bare + slightly vasculated no molt | LNH | Skin |
| 39 | " | " | " | " | Ad ♀ | 32gms | L | 2 old ruptured follicles | | | |

[illegible]

110070

Arctophthalmus townsendi

Ad ♂

part of cranium, femur,

humerus, 2 scapulae, part of pelvis.

June 1968

Folvel Herpetology
Econ. Coll.

110071

"

"

"

Muscles only.

"

"

